


Safety Railing Kits

The solution for all your demanding safety rail requirements.

- Pre-Assembled Kits
- Choose from standard safety rail kits: Corner, Straight, Extension and Stair/Ramp.
- Instructions, Hex Key, Base Flanges and Test Results showing OSHA compliance all included in the box.
- Saves time and labor by enhancing assembly in initial installations, disassembly when installation changes and retrofitting of old installations.
- Easily installed around machinery and other OSHA regulated areas.





Bumble Bee® Safety Railing is supplied standard with steel pipe powder coated OSHA safety yellow and fittings black powder coated.



Corner Section Kit with #45SBC Flange 4 ft. + 4 ft. (50121)



Straight Section Kit, 2 posts with #45SBC Flange

4 ft. (50221)

6 ft. (50231)

8 ft. (50241)



Extension Section Kit with #45SBC Flange

4 ft. (50321)

6 ft. (50331)

8 ft. (50341)



Stair/Ramp Section Kit with #45SBC Flange

8 ft. (50251)



Toe board Kit (Aluminum)

4 ft. (92390)

6 ft. (92391)

8 ft. (92392)



Yellow Top Rail

47 in. (50511)

71 in. (50521)

95 in. (50551)



Yellow Mid Rail

46 in. (50411)

70 in. (50421)

94 in. (50431)



Yellow Post

40 in. (50911)



Safety Rail Gate

3 ft. post-post, 21 in. top-bottom (50950)



#3-8 Elbow (50750)



#3AE-8 Adj. Elbow (50780)



#5-8 Tee (50720)



#5E-8 Tee-E (50730)



#7E-8 Cross-E (50740)



#9-8 Side Outlet Elbow (50700)



#11E-8 Side Outlet Tee-E (50710)



#17E-8 Adj. Elbow or Tee-E (50790)



#45SBC-8 Sq. Floor Flange (50770)

Modular Safety Railing Kits are supplied standard with aluminum mill finish pipe and fittings.



Corner Section Kit with #45SBC Flange 4 ft. + 4 ft.

(50150)



Straight Section Kit, 2 posts with #45SBC Flange

4 ft. (50220)

6 ft. (50230)

8 ft. (50240)



Extension Section Kit with #45SBC Flange

4 ft. (50320)

6 ft. (50330)

8 ft. (50340)



Stair/Ramp Section Kit with #45SBC Flange

8 ft. (50250)



Toe board Kit (Aluminum)

4 ft. (92380)

6 ft. (92381)

8 ft. (92382)



Top Rail

47 in. (50513)

71 in. (50543)

95 in. (50553)



Mid Rail

46 in. (50403)

70 in. (50423)

94 in. (50433)



Post

40 in. (50903)



Safety Rail Gate


3 ft. post-post, 21 in. top-bottom (51105)




#3-8 Elbow
(08020)



#3AE-8 Adj. Elbow
(08030)



#5-8 Tee
(08040)



#5E-8 Tee-E
(08060)




#7E-8 Cross-E
(08100)



#9-8 Side Outlet Elbow (08120)



#11E-8 Side Outlet Tee-E (08150)



#17E-8 Adj. Elbow or Tee-E
(08240)



#45SBC-8 Sq. Floor Flange
(28470)

“Applications limited only by your Imagination”



Speed-Rail® with Infill Panels



ADA



Speed-Rail® in Solar Application



Speed-Rail®



Speed-Rail®



Speed-Rail®



Speed-Rail®



Speed-Rail®

Contact:

Printed in the USA

©2021 Hollaender Mfg. Co. All rights reserved.

The Hollaender Manufacturing Company
10285 Wayne Avenue
PO Box 156399
Cincinnati, OH 45215-6399

Phone: 513/772-8800 • 800/772-8800
Fax: 513/772-8806 • 800/772-8806
email: sales@hollaender.com
www.hollaender.com

The Rib® Design, Hollaender®, Speed-Rail®, Nu-Rail®, Speed-Rail® II, Rackmaster®, Mend-A-Rail®, Interna-Rail® and Bumble Bee® are all registered trademarks of The Hollaender® Manufacturing Company.